

CERTIFICATION OF READY MIXED CONCRETE PRODUCTION FACILITIES

COMPANY	PLANT NO.
Cemex	4101
Plant Address or Physical Location	
Buckeye	
Engineer	
Michael Kohout, P.E.	
Inspection Date	Expiration Date
08/22/2017	08/22/2019

Arizona Rock Products Association 916 W. Adams Street Phoenix, Arizona 85007

Submit electronic copy of checklist to elaine@azrockproducts.org



Certificate of Conformance for Concrete Production Facilities

It is hereby certified that

Cemex, Plant #4101 Buckeye, AZ

has been inspected by the undersigned registered professional engineer for conformance with requirements of the "Check List for Ready Mixed Concrete Production Facilities." As of the inspection date, the facilities met requirements as stated below.

Operation: Truck Mixing

Batching System: Fully Automated

Recording: Cementitious, Aggregate, Water, Admixture

Executive Director

Arizona Rock Products Association

08/28/2017
Date signed by ARPA Executive Director

08/22/2017

Inspection Date

08/22/2019

Expiration Date



This Company will maintain these facilities in compliance with the Check List requirements and will correct promptly any deficiencies which develop.

Notice: The check list indicates only that plant facilities are satisfactory for the production of concrete when properly operated. Conformance of the concrete itself with specification requirements must be verified by usual inspection methods in accordance with sales agreement.

11. CONCRETE BATCH PLANT INSPECTION REPORT

Ready Mix Supplier:	Cemex	Date:		3/22/2017	
Plant number:	4101	Project Name:	Plant Re	enewal	
Plant Location:	Buckeye	Project Number:			
Inspector:	M. Kohout. PE				
•	spector: Place an "x" in the applica	ble box.			
MATERIALS/INGRED			PTABLE	NOT ACCEPTABLE	NOT APPLICABLE
1. Aggregates					
a. Aggregates transporteb. Aggregates meet appli	d, separated, stored, stockpiled, and fed to plan cable quality requirements (Note 1).	t correctly (Note 1).	\boxtimes	\Box	\Box
2. Cementitious Me			_	_	V==0
	thout excessive leakage. Separate storage for co	ement and flyash.	\boxtimes		
 Admixtures/Add Admixtures protected 	ittives to prevent damage from contamination and sep	paration	N		
b. Admixtures protected		Jaracion.	X	H	H
4. Water	_				
a. Adequate supply and pb. Adequate heating and	pressure. /or chilling capacity (Note 2).		\aleph	\Box	8
BATCHING PLANT					
-	s, and Weigh Batchers	_			
		ndicating 🔀	16.3		
	to batchman at normal station. Ite within applicable tolerances (Note 3).		X	H	· -
d. Scales Calibrated withi			X		
	Separate bins for fine aggregate and each applicable size of coarse aggregate.				
-44					Н
	 g. All weigh hoppers freely suspended from scale and charge and discharge properly. h. Free moisture in aggregates taken into consideration when determining batch weights. 			ñ	
	ater Batcher, or Volumetric Measur			_	_
-	nt of added water capable of delivering required	_	licable tolera	nces	
	ing in increments as small as one gallon (10lbs.		X		
	tank equipped with a means to check calibration	n.	M	Ш	
7. Admixture Dispe			∇		П
a. Separate dispenser forb. Piping free of leaks and			XX XX	Ħ	
· -	r verifying accuracy of measurement.		\boxtimes		
	or batchman independent of operation of prima	ry metering device.	\square		
8. Batching System					
	lanual 🔲 Semi-Automated 🔲 Fully Autom	_			
	n (recording device which provides	a permanent re	cord of bo	atch quantities	for each
batch of concrete		_			
	ous 🔀 Aggregate 🔀 Water 🔀 Admixture	s 🔀			
Recorders shall: b. Be properly protected.			X		
	the particular batch with the corresponding deli	ivery ticket.			
d. Register quantity of in	•	•	X		

TICKETING SYSTEM

10	Delivery ticket provides the following Information		Not	Not		
		ACCEPTABLE	ACCEPTABLE	APPLICABLE		
a.	Ready-Mix Concrete Company's Name	\boxtimes				
b.	Plant number or designation	\times				
C.	Ticket Serial Number	×				
d.	Truck Number or designation	[X]				
e.	Purchaser Name	X				
f.	Job name and location	\mathbf{x}				
g.	Specific class or designation of concrete mix	\boxtimes				
h.	Batch size in cubic yard or meters		Ħ	Ħ		
i.	Date and time when batch was loaded	₿	Н	H		
j.	Type and name of specialty admixture or ingredient and amount batched	انظ		_		
k.	Place where extra water added at request of receiver of the concrete and his signature or initials.					
The referenced plant satisfies the indicated criteria and is capable of producing acceptable concrete. Yes $oxtimes$ No $oxdimes$						

Notes:

- 1. Items 1a and 1b evaluated as follows: Aggregate stockpiles located to prevent contamination and arranged to assure that each aggregate as removed from its stockpile is distinct and not intermingled with others. Separate storage bins or compartments for each size and type of aggregate properly constructed and charges to prevent mixing of different sizes or types. Aggregates meet applicable specifications.
- 2. For information only; this item not required for approval of plant.
- 3. Applicable tolerances are consistent with information contained in the latest edition of ASTM C 94 Standard Specifications for Ready Mixed Concrete.

Definitions:

Manual Systems - Batching devices are operated manually. Individual batch target weights, moisture adjustments, and volumetric measuring systems are manually determined and verified by the batch operator. Discharge of the batch is performed manually by the batch operator. These systems are typically assisted by pneumatic, electric or hydraulic power, but may be hand operated.

Semi-Automated Systems - These systems provide mechanisms that start the weighing and volumetric measuring devices for the batch. These systems will stop the weighing and measuring upon attaining the required batch tolerances. Discharge of the batch may be automated upon attaining acceptable batch tolerances, or may be performed manually. These systems may or may not include interlocking mechanisms for out of tolerance batches.

Fully Automated Systems - A single starting mechanism provides target weights and volumes, begins the weighing and measuring process and ends this process when the targeted batch proportions are within tolerance. Out of tolerance batches must be manually adjusted to within tolerance and/or accepted by the batch operator. Once the batch tolerances are met or manually accepted, discharge of the batch will begin automatically.

12. Verification of Inspection and Application for Certification (CONTINUED)

The undersigned,	a registered professio	nal engineer in					
has conducted the	(state, territory, or jurisdiction) has conducted the inspection of the ready-mixed concrete plant described as <u>Cemex Plant 4101</u>						
nas conducted the Buckeye	e inspection of the rea	iuy-inixed conc	rete plant described a	S CEITIEX FIE	ant 4101		
	(nlease	print specific d	esignation and location	on of plant)			
	(picase	print specific o	coignation and locality	on or plant,			
	professional judgmer eby made for the issua				accurate and complete. d as follows:		
	General Operation Batching System Reco		Record	ding (if any)			
	Truck Mixing		Manual		Cementitious		
	Central Mixing		Semi-Automated		Aggregate		
	Both		Fully Automated		Water		
					Admixtures		
					cceptable boxes from		
C	ONCRETE BATCH PL	ANT INSPECT	ON REPORT (pg 12	& 13) are i	marked with an "X".		
08/22/2017		11/	- last				
(date)		(signature of engineer)					
715178		Michae	el Kohout, P.E.				
(NRMCA ID number)		(name, pi	lease print)			
	,		, ,,				
(date)		,	(signature of engineer	's assistant)			
	6				(Engineer's Seal)		
(Asst. to the Engine NRMCA ID number			(name, p	lease print)	prolessional En		
		РО ВО	X 2551		15600 15600		
			(business address, p	lease print)	MICHAEL L.		
		Carefro	ee, AZ 85377		Semen 8 17 1		
		602-80	9-2467	(zip code)	TONA. US		
					Expires: 6/30/2018		
			(phor	ne number)			