

CERTIFICATION OF READY MIXED CONCRETE PRODUCTION FACILITIES

COMPANY	PLANT NO.				
CalPortland Cement Company	137				
Plant Address or Physical Location	A				
2425 W. Powerline Road, Maricopa, AZ 85239					
Engineer	**				
J.M.Willson,P.E.					
Inspection Date	Expiration Date				
12/26/2018	12/26/2020				

Arizona Rock Products Association 916 W. Adams Street Phoenix, Arizona 85007

Submit electronic copy of checklist to nicole@azrockproducts.org



Certificate of Conformance for Concrete Production Facilities

It is hereby certified that

CalPortland, Plant #137 2425 W. Powerline Road, Maricopa, AZ 85239

has been inspected by the undersigned registered professional engineer for conformance with requirements of the "Check List for Ready Mixed Concrete Production Facilities." As of the inspection date, the facilities met requirements as stated below.

Operation: Truck Mixing

Batching System: Fully Automated

Recording: Cementitious, Aggregate, Water, Admixture

Executive Director

Arizona Rock Products Association

01/04/2019
Date signed by ARPA Executive Director

12/26/2018

Inspection Date

12/26/2020

Expiration Date



This Company will maintain these facilities in compliance with the Check List requirements and will correct promptly any deficiencies which develop.

Notice: The check list indicates only that plant facilities are satisfactory for the production of concrete when properly operated. Conformance of the concrete itself with specification requirements must be verified by usual inspection methods in accordance with sales agreement.

/P.o	ady Mix Supplier: CalPortland Company RETE BATCH PLANT	INSPEC	CTION	2-26-18	
		Name:		~F_182	
	nt Location: 2425 W. Powerline Rd, Maricopa, AZ Project Nu				
		umher	******	TOTAL PROPERTY.	
	pector: James M. Willson, P.E Lab Ni ections for the inspector: Place an "x" in the applicable box.	uiiibei.			
זוט	ections for the inspector: Place an x in the applicable box.			NOT	1107
	N			NOT	NOT
M	ATERIALS/INGREDIENTS	ACCE	PTABLE	ACCEPTABLE	APPLICABLE
1.	Aggregates				
a.	Aggregates transported, separated, stored, stockpiled, and fed to plant correctly (I	Note 1).	X	 	H
b.	Aggregates meet applicable quality requirements (Note 1).				
2.	Cementitious Materials	wash			-
a.	Silos are watertight without excessive leakage. Separate storage for cement and fi	yasıı.	X		لبا
<i>3</i> .	Admixtures/Additives		(S)		
a. b.	Admixtures protected to prevent damage from contamination and separation. Admixtures protected from freezing.		X X	H	H
4.	Water		لهبا	_	
a.	Adequate supply and pressure.		IXI		
b.	Adequate heating and/or chilling capacity (Note 2).		X		
			. 2		
BA	TCHING PLANT				
5.	Scales, Plant Bins, and Weigh Batchers				
a.	Scale Type: Beam-indicating Dial-indicating Digital-indicating	3		_	_
b.	Scale display(s) visible to batchman at normal station.		X		
c. d.	Scales/batchers accurate within applicable tolerances (Note 3). Scales Calibrated within last 6 months.		兌	H	H
e.	Separate bins for fine aggregate and each applicable size of coarse aggregate.		ল	ā	Ħ
f,	Separate scale and weigh hopper for cementitious materials.		X		
g.	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:		N N N N N N N N N N N N N N N N N N N	님	닏
h,	Free moisture in aggregates taken into consideration when determining batch weig	B	X		
6.	Water Meter, Water Batcher, or Volumetric Measuring Tank			101	
a.	Device for measurement of added water capable of delivering required quantity wand capable of dispensing in increments as small as one gallon (10lbs. if weighed).	ithin appl		erances	
ь.	Volumetric measuring tank equipped with a means to check calibration.		M	H	
7.	Admixture Dispensers				
a.	Separate dispenser for each admixture.		区		
b.	Piping free of leaks and properly valved.		질		
С,	Calibrated container for verifying accuracy of measurement.		IXI		닏
d.	Visual or gross check for batchman independent of operation of primary metering	device.	X		
8.	Batching System *See definitions below.				
a.	Batch System Type: Manual Semi -Automated Fully Automated				
9.	Recording System (recording device which provides a perman	ient red	cord of	batch quantities j	or each
	batch of concrete produced.)			ii .	
a,	Recorders: Cementitious 🛛 Aggregate 🔀 Water 🗖 Admixtures 🖾				4
h	Recorders shall: Be properly protected.		X		
b. c.	Provide for identifying the particular batch with the corresponding delivery ticket.	9	X		
d.	Register quantity of ingredients batched.		X		

PLANT 137

TI	CKETING SYSTEM			
10	Delivery ticket provides the following information		Not	Not
		ACCEPTABLE	ACCEPTABLE	APPLICABLE
a. b. c. d. e. f. g. h. i.	Ready-Mix Concrete Company's Name Plant number or designation Ticket Serial Number Truck Number or designation Purchaser Name Job name and location Specific class or designation of concrete mix Batch size in cubic yard or meters Date and time when batch was loaded	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
۱۰ k.	Type and name of specialty admixture or ingredient and amount batched Place where extra water added at request of receiver of the concrete and his signature or initials.	X		

The referenced plant satisfies the indicated criteria and is capable of producing acceptable concrete. Yes 🖾 No 🗆

Notes:

- 1. Items 1a and 1b evaluated as follows: Aggregate stockpiles located to prevent contamination and arranged to assure that each aggregate as removed from its stockpile is distinct and not intermingled with others. Separate storage bins or compartments for each size and type of aggregate properly constructed and charges to prevent mixing of different sizes or types. Aggregates meet applicable specifications.
- 2. For information only; this item not required for approval of plant.
- 3. Applicable tolerances are consistent with information contained in the latest edition of ASTM C 94 Standard Specifications for Ready Mixed Concrete.

Definitions:

Manual Systems - Batching devices are operated manually. Individual batch target weights, moisture adjustments, and volumetric measuring systems are manually determined and verified by the batch operator. Discharge of the batch is performed manually by the batch operator. These systems are typically assisted by pneumatic, electric or hydraulic power, but may be hand operated.

Semi-Automated Systems - These systems provide mechanisms that start the weighing and volumetric measuring devices for the batch. These systems will stop the weighing and measuring upon attaining the required batch tolerances. Discharge of the batch may be automated upon attaining acceptable batch tolerances, or may be performed manually. These systems may or may not include interlocking mechanisms for out of tolerance batches.

Fully Automated Systems - A single starting mechanism provides target weights and volumes, begins the weighing and measuring process and ends this process when the targeted batch proportions are within tolerance. Out of tolerance batches must be manually adjusted to within tolerance and/or accepted by the batch operator. Once the batch tolerances are met or manually accepted, discharge of the batch will begin automatically.

12. Verification of Inspection and Application for Certification (CONTINUED)

The undersigned, a registered	orofessional engine	erin <u></u>	RIZONA	
		•	te, territory, or ju	risdiction)
has conducted the inspection of		concrete plant desc	ribed as	
CalPortlai	nd Company			No. of the second
Plant 137	, 2425 W. Pov	werline Road,	Maricopa ,	AZ 85239
and asserts, in his professional Application is hereby made for		· ·		•
General Ope	ration B	atching System	Recor	ding (if any)
Truck N	Mixing	Manual	\boxtimes	Cementitious
Centra	Mixing	Semi-Automa	ated	Aggregate
Both		Fully Automa	ited	Water
			\boxtimes	Admixtures
			· ·	cceptable boxes from marked with an "X".
12/26/2018 720574		AM	ature of engineer) Lucian ame, please print)	JAMES MITCHELL
(NRMCA ID number) (date)	- 3449 No	M. WILLSON, P.E. orth 47th Way , AZ 85018-6013	nt)	(Engineer's Seal)
(Asst. to the Engineer NRMCA ID number)	cementa	az@cox.net	at)	(Engineer 3 Sear)
	10 (22)		€	
	200	(business address, please print)		
	*			
	-	4	(zip code)	ing section of the se
2 25	÷	(.,,	(phone number)	