

CERTIFICATION OF READY MIXED CONCRETE PRODUCTION FACILITIES

COMPANY	PLANT NO.
Cemex	1956A
Plant Address or Physical Location	
3640 S 19 th Ave, Phoenix, AZ	
Engineer	
Michael Kohout, P.E.	
Inspection Date	Expiration Date
10/7/2020	10/7/2022

Arizona Rock Products Association 916 W. Adams Street Phoenix, Arizona 85007

Submit electronic copy of checklist to nicole@arizonarockproducts.org



Certificate of Conformance for Concrete Production Facilities

It is hereby certified that

CEMEX, Plant #1956A 3640 S. 19th Avenue, Phoenix, AZ

has been inspected by the undersigned registered professional engineer for conformance with requirements of the "Check List for Ready Mixed Concrete Production Facilities." As of the inspection date, the facilities met requirements as stated below.

Operation: Truck Mixing

Batching System: Fully Automated

Recording: Cementitious, Aggregate, Water, Admixture

Executive Director

Arizona Rock Products Association

10/26/2020 Date signed by ARPA Executive Director

10/07/2020

Inspection Date

10/07/2022

Expiration Date



This Company will maintain these facilities in compliance with the Check List requirements and will correct promptly any deficiencies which develop.

Notice: The check list indicates only that plant facilities are satisfactory for the production of concrete when properly operated. Conformance of the concrete itself with specification requirements must be verified by usual inspection methods in accordance with sales agreement.

11. CONCRETE BATCH PLANT INSPECTION REPORT

Ready Mix Supplier:	Cemex	Date: 10/7/20	20	
Plant number:	1956A Project N	lame: Plant Ir	nspection	
Plant Location:				
Inspector:	Michael Kohout, P.E. Lab Nu	mber:		
Directions for the in	spector: Place an "x" in the applicable box.			
			NOT	NOT
MATERIALS/INGRED	DIENTS	ACCEPTABLE	ACCEPTABLE	APPLICABLE
1. Aggregates			_	
a. Aggregates transporte	ed, separated, stored, stockpiled, and fed to plant correctly (N	lote 1).		Н
 b. Aggregates meet appl 	icable quality requirements (Note 1).			_
2. Cementitious Me	aterials	17	_	
	ithout excessive leakage. Separate storage for cement and fly	ash. 🛛	<u> </u>	L
3. Admixtures/Add	ditives	121	П	
	to prevent damage from contamination and separation.	×	ᆸ	
	monnaeezing.	-		
4. Watera. Adequate supply and	pressure.	X		
	I/or chilling capacity (Note 2).	M	Ш	Ц
BATCHING PLANT				
	ns, and Weigh Batchers	7		
a. Scale Type: Beam-	indicating Dial-indicating Digital-indicating	157	М	
b. Scale display(s) visible	e to batchman at normal station. Tate within applicable tolerances (Note 3).	l ⊘ l	H	
 c. Scales/batchers accur d. Scales Calibrated with 		\boxtimes		ᆜ
e. Separate bins for fine	aggregate and each applicable size of coarse aggregate.			
f Separate scale and we	eigh hopper for cementitious materials.	₩	Н	H
g. All weigh hoppers fre	ely suspended from scale and charge and discharge properly.	ehts.	Ħ	<u> </u>
h. Free moisture in aggr	egates taken into consideration when determining batchweig	ints.	_	_
6. Water Meter, W	Vater Batcher, or Volumetric Measuring Tank ent of added water capable of delivering required quantity w	ithin applicable to	lerances	
a. Device for measurem	nsing in increments as small as one gallon (10lbs. if weighed).			
b. Volumetric measuring	g tank equipped with a means to check calibration.	X		
7. Admixture Disp				П
a. Separate dispenser fo		X	Н	
 Piping free of leaks ar 	nd properly valved.	岗	ā	
c. Calibrated container	for verifying accuracy of measurement. for batchman independent of operation of primary metering			
	n *See definitions below.			
a. Batch System Type:	Manual Semi-Automated Fully Automated			
a. Batch System Type:	em (recording device which provides a perma	nent record of	batch quantities	s for each
batch of concre				
a. Recorders: Cementi	tious 🛮 Aggregate 🖾 Water 🖾 Admixtures 🖾			
Recorders shall:		ΓØ		П
h Be properly protecte	d.		H	Ħ
c. Provide for identifying	ng the particular batch with the corresponding delivery ticket.		Ħ	Ħ
d. Register quantity of i	ngrealents batchea.			_

TIC	CKETING SYSTEM			
10.	. Delivery ticket provides the following information		Not	Not
		ACCEPTABLE	ACCEPTABLE	APPLICABLE
a.	Ready-Mix Concrete Company's Name	\boxtimes		_
b.	Plant number or designation	₩	Н	H
c.	Ticket Serial Number	 Q		
d.	Truck Number or designation	(27	= =	
e.	Purchaser Name	X	Н	Н
f.	Job name and location][
g.	Specific class or designation of concrete mix	\boxtimes	닏	닏
ĥ.	Batch size in cubic yard or meters	$\overline{\boxtimes}$		Н
i.	Date and time when batch was loaded	\boxtimes		
j.	Type and name of specialty admixture or ingredient and amount batched	ica.		
k.	Place where extra water added at request of receiver of the concrete		ы	اسا

The referenced plant satisfies the indicated criteria and is capable of producing acceptable concrete. Yes $oxed{\boxtimes}$ No $oxed{\Box}$

Notes:

- Items 1a and 1b evaluated as follows: Aggregate stockpiles located to prevent contamination and arranged to assure that each
 aggregate as removed from its stockpile is distinct and not intermingled with others. Separate storage bins or compartments
 for each size and type of aggregate properly constructed and charges to prevent mixing of different sizes or types. Aggregates
 meet applicable specifications.
- 2. For information only; this item not required for approval of plant.
- 3. Applicable tolerances are consistent with information contained in the latest edition of ASTM C 94 Standard Specifications for Ready Mixed Concrete.

Definitions:

Manual Systems - Batching devices are operated manually. Individual batch target weights, moisture adjustments, and volumetric measuring systems are manually determined and verified by the batch operator. Discharge of the batch is performed manually by the batch operator. These systems are typically assisted by pneumatic, electric or hydraulic power, but may be hand operated.

Semi-Automated Systems - These systems provide mechanisms that start the weighing and volumetric measuring devices for the batch. These systems will stop the weighing and measuring upon attaining the required batch tolerances. Discharge of the batch may be automated upon attaining acceptable batch tolerances, or may be performed manually. These systems may or may not include interlocking mechanisms for out of tolerance batches.

Fully Automated Systems - A single starting mechanism provides target weights and volumes, begins the weighing and measuring process and ends this process when the targeted batch proportions are within tolerance. Out of tolerance batches must be manually adjusted to within tolerance and/or accepted by the batch operator. Once the batch tolerances are met or manually accepted, discharge of the batch will begin automatically.

12. Verification of Inspection and Application for Certification (CONTINUED)

The undersigned,	a regio	stered profession	nal engineer in	Arizona		
				(state, territ		sdiction)
has conducted the	inspe	ection of the read	dy-mixed concr	ete plant described as	š	
Cemex Plant 1						
3640 S 19th Ave	e, Pho					
		1.5		esignation and locatio		
and asserts, in his Application is here	profe eby m	ssional judgmen ade for the issua	t, the informat nce of a certifi	ion provided on this C cate for this plant, to t	heck List is be classified	accurate and complete. i as follows:
	Gene	ral Operation	Batching System Record			ling (if any)
	X	Truck Mixing		Manual	\times	Cementitious
		Central Mixing		Semi-Automated	X	Aggregate
		Both	\boxtimes	Fully Automated	\times	Water
					X	Admixtures
Δ	Certi	ficate of Confo	rmance canno	ot be issued if any of	the not a	cceptable boxes from
Ċ	ONCE	RETE BATCH PL	ANT INSPECT	ON REPORT (pg 12	& 13) are	marked with an "X".
10/20/20 (date)			M	(signature o		
715178			Michael Kohout, P.E.			
(NRMCA ID numbe	г)			(name, pl	lease print)	
(date)			:	(signature of engineer	's assistant)	
	_					(Engineer's Seal)
(Asst. to the Engine NRMCA ID number				(name, pi	lease print)	Professional Engineer
			556 Peakside	cir		MICHAELL MICHAELL
				(business address, p	lease print)	MICHAELT KOHOUT
			Dripping Springs	, TX 78620		GNED S
					(zip code)	N 19 06/39/12
			602-809-2467			11/2/
				(pho	ne number)	<u> </u>