

# CERTIFICATION OF READY MIXED CONCRETE PRODUCTION FACILITIES

COMPANY	PLANT NO.
Cemex	1959
Plant Address or Physical Location	
North Higley Rd, Mesa, Az	
Engineer	
Michael Kohout, P.E.	4
Inspection Date	Expiration Date
06/19/2023	06/19/2025

Arizona Rock Products Association 916 W. Adams Street Phoenix, Arizona 85007

Submit electronic copy of checklist to nicole@arizonarockproducts.org



# Certificate of Conformance for Concrete Production Facilities

It is hereby certified that

CEMEX, Plant #1959 North Higley Road, Mesa, AZ

has been inspected by the undersigned registered professional engineer for conformance with requirements of the "Check List for Ready Mixed Concrete Production Facilities." As of the inspection date, the facilities met requirements as stated below.

Operation: Truck Mixing

Batching System: Fully Automated

Recording: Cementitious, Aggregate, Water, Admixture

Executive Director

Arizona Rock Products Association

<u>07/05/2023</u> Date signed by ARPA Executive Director

06/19/2023

**Inspection Date** 

06/19/2025

**Expiration Date** 



This Company will maintain these facilities in compliance with the Check List requirements and will correct promptly any deficiencies which develop.

Notice: The check list indicates only that plant facilities are satisfactory for the production of concrete when properly operated. Conformance of the concrete itself with specification requirements must be verified by usual inspection methods in accordance with sales agreement.

## 11. CONCRETE BATCH PLANT INSPECTION REPORT

Ready Mix Supplier: Cemex Date: 06/19/2			2023				
Plant No: 1959							
	nt Location:	the state of the s					
	oector:						
		rspector: Place an "x" in the applicable					
יווט	ections for the ii	ispector: Place all X III the applicable	DOX.		NOT	NOT	
			۸۵۵۲	חדאחור			
	TERIALS/INGRE	DIENTS	ACCE	PTABLE	ACCEPTABLE	APPLICABLE	
	Aggregates	and an arrange of the second standard and find to wheat on	arreathy (Note 1)	$\boxtimes$			
a.		ed, separated, stored, stockpiled, and fed to plant co licable quality requirements (Note 1).	orrectly (Note 1)	×	H	Ħ	
b. <b>2.</b>	Cementitious M						
a.		vithout excessive leakage. Separate storage for ceme	nt and flyash.	$\boxtimes$			
	Admixtures/Ad						
a.	Admixtures protecte	d to prevent damage from contamination and separa	tion.	$\boxtimes$			
b.	Admixtures protecte	d from freezing.		$\boxtimes$			
4.	Water			57	_		
a.	Adequate supply and	10. The state of t		⊠ ⊠		H	
b.	Adequate heating an	d/or chilling capacity (Note 2).		M	L	LJ	
RΛ	TCHING PLANT						
<u>5.</u>	Scales, Plant Bi	ns, and Weigh Batchers					
a.		indicating Dial-indicating Digital-indicating	cating 🖾				
b.		e to batchman at normal station.					
c.		rate within applicable tolerances (Note 3).		$\boxtimes$			
d.	Scales Calibrated wit	hin last 6 months.		$\boxtimes$			
e.		e aggregate and each applicable size of coarse aggreg	ate.	$\boxtimes$			
f.		reigh hopper for cementitious materials.	•	$\boxtimes$	님	H	
g.		eely suspended from scale and charge and discharge		⊠ ⊠	H	H	
h.		regates taken into consideration when determining l Nater Batcher, or Volumetric Measurin			<b>L</b> !	لسا	
<b>6.</b> a.		nent of added water capable of delivering required q		nlicable tole	rance and canable of	dispensing in increments a	
a.	small as one gallon (		dancity within ap				
	Small as one Banon (	201307 11 1101811047.			_		
b.	Volumetric measuring	ng tank equipped with a means to check calibration.				$\boxtimes$	
7.	Admixture Disp	ensers		<u> </u>	-	_	
a.	Separate dispenser f	or each admixture.		$\boxtimes$			
b.	Piping free of leaks a			$\boxtimes$			
c.		for verifying accuracy of measurement.		$\boxtimes$	H	H	
d.		for batchman independent of operation of primary	meteringdevice.		Ц		
8.		<b>M *See definitions below.</b> Manual Semi - Automated Fully Automat	M				
a.	Batch System Type:	•		ecord of	hatch avantities	for each hatch	
Э,	9. Recording System (recording device which provides a permanent record of batch quantities for each batch						
	of concrete pro						
a.		itious 🛮 Aggregate 🖾 Water 🖾 Admixtures 🖾					
h	Recorders shall: Be properly protecte	ad		$\bowtie$		П	
b. c.	Provide for identifyi	ea. ng the particular batch with the corresponding delive	eryticket.	$\boxtimes$	ä	ŏ	
d.		ingredients batched.		$\boxtimes$			
ч.	qualitity of	6. ==1=0 88301.001.		· ·	_	AUTON	

10.	Delivery ticket provides the following information		NOT	NOT
		<b>ACCEPTABLE</b>	<b>ACCEPTABLE</b>	<b>APPLICABLE</b>
3.	Ready-Mix Concrete Company's Name			
ο.	Plant number or designation	$\boxtimes$		$\sqcup$
<b>:</b> .	Ticket Serial Number	$\bowtie$		
d.	Truck Number or designation			
e.	Purchaser Name	$\boxtimes$		
<b>.</b>	Job name and location	$\boxtimes$		□.
g.	Specific class or designation of concrete mix	$\boxtimes$		
h.	Batch size in cubic yard or meters	<b>⊠</b> ⊠ ⊠		
	Date and time when batch was loaded	$\boxtimes$		
	Type and name of specialty admixture or ingredient and amount batched	$\boxtimes$		
k.	Place where extra water added at request of receiver of the concrete and his			
	and his signature or initials.	$\boxtimes$		

The referenced plant satisfies the indicated criteria and is capable of producing acceptable concrete. Yes oxtimes No oxdim

### Notes:

- Items 1a and 1b evaluated as follows: Aggregate stockpiles located to prevent contamination and arranged to assure that each
  aggregate as removed from its stockpile is distinct and not intermingled with others. Separate storage bins or compartments for each
  size and type of aggregate properly constructed and charges to prevent mixing of different sizes or types. Aggregates meet applicable
  specifications.
- 2. For information only; this item not required for approval of plant.
- 3. Applicable tolerances are consistent with information contained in the latest edition of ASTM C 94 Standard Specifications for Ready Mixed Concrete.

### **Definitions:**

Manual Systems - Batching devices are operated manually. Individual batch target weights, moisture adjustments, and volumetric measuring systems are manually determined and verified by the batch operator. Discharge of the batch is performed manually by the batch operator. These systems are typically assisted by pneumatic, electric or hydraulic power, but may be hand operated.

Semi-Automated Systems - These systems provide mechanisms that start the weighing and volumetric measuring devices for the batch. These systems will stop the weighing and measuring upon attaining the required batch tolerances. Discharge of the batch may be automated upon attaining acceptable batch tolerances or may be performed manually. These systems may or may not include interlocking mechanisms for out of tolerance batches.

Fully Automated Systems - A single starting mechanism provides target weights and volumes, begins the weighing and measuring process and ends this process when the targeted batch proportions are within tolerance. Out of tolerance batches must be manually adjusted to within tolerance and/or accepted by the batch operator. Once the batch tolerances are met or manually accepted, discharge of the batch will begin automatically.

# 12. Verification of Inspection and Application for Certification (CONTINUED)

The undersigned, a re	egistered professional engine		a tout a trate at
has conducted the in: N. Higley Rd, Mesa,		(state, territory, o concrete plant described as <u>Cem</u>	
	(please print spe	cific designation and location of p	lant)
		ormation provided on this Check I certificate for this plant, to be clas	
General Operation		Batching System	Recording (if any)
	Truck Mixing	Manual	Cementitious
	Central Mixing	Semi-Automated	Aggregate
	Both	Fully Automated	<b>⊠</b> Water
Cor	tificate of Conformance c	annot be issued if any of the no	Admixtures
		PECTION REPORT (pg 12 & 13)	
06/21/2023 (date)	MS	(signature of engine	neer)
715178 (NRMCA ID number)	Michael Koho	ut, P.E.	(name, please print)
(date)		(signature of engineer's assi	stant)
(Asst. to the Engineer NRMCA ID number)		(name, please p	(Engineer's Seal) print)
	556 Peakside Cir. Dripping S	prings, TX	olessional
		(business address, please page 5	code)
	-	thing unit	THEONA, U.S. N.