

CERTIFICATION OF READY MIXED CONCRETE PRODUCTION FACILITIES

COMPANY	PLANT NO.
Hatch Industries	2
Plant Address or Physical Location	
11243 South Sossaman Road, Mesa, AZ	
Engineer	
J.M.Willson, P.E.	
Inspection Date	Expiration Date
12/18/2019	12/18/2021

Arizona Rock Products Association 916 W. Adams Street Phoenix, Arizona 85007

Submit electronic copy of checklist to nicole@azrockproducts.org



ARIZONA ROCK PRODUCTS ASSOCIATION

Certificate of Conformance for Concrete Production Facilities

It is hereby certified that

Hatch Industries, Plant #2 11243 South Sossaman Road, Mesa, AZ

has been inspected by the undersigned registered professional engineer for conformance with requirements of the "Check List for Ready Mixed Concrete Production Facilities." As of the inspection date, the facilities met requirements as stated below.

Operation: Truck Mixing

Batching System: Fully Automated

Recording: Cementitious, Aggregate, Water, Admixture

Executive Director

Arizona Rock Products Association

12/19/2019
Date signed by ARPA Executive Director

12/18/2019

Inspection Date

12/18/2021

Expiration Date



This Company will maintain these facilities in compliance with the Check List requirements and will correct promptly any deficiencies which develop.

Notice: The check list indicates only that plant facilities are satisfactory for the production of concrete when properly operated. Conformance of the concrete itself with specification requirements must be verified by usual inspection methods in accordance with sales agreement.

11. CONCRETE BATCH PLANT INSPECTION REPORT

Ready Mix Supplier:	Hatch Industries	Date: _1	2/18/2019			
Plant number:	2	Project Name: _				
		Project Number:				
Inspector:	J.M.Willson, P.E.	Lab Number: _		(A)		
Directions for the in	spector: Place an "x" in the applica	ble box.				
MATERIALS/INGREE		ACCEPT	TABLE A	NOT ACCEPTABLE	NOT APPLICABLE	
1. Aggregates	710.17.0	-				
a. Aggregates transporteb. Aggregates meet appl	ed, separated, stored, stockpiled, and fed to plan icable quality requirements (Note 1).	nt correctly (Note 1).	X X	В	8	
2. Cementitious Mo		ann ann a mal Alvanaha - IT				
_	ithout excessive leakage. Separate storage for c	ement and flyash.	X			
3. Admixtures/Add	ntives to prevent damage from contamination and se	naration.	71			
b. Admixtures protected			Z -			
4. Watera. Adequate supply and	nressure	5	KI.			
	l/or chilling capacity (Note 2).	5	K.			
BATCHING PLANT						
5. Scales, Plant Bin	s, and Weigh Batchers					
a. Scale Type: Beam-i	indicating Dial-indicating Digital-	Indicating 🔀		_		
b. Scale display(s) visible	to batchman at normal station. ate within applicable tolerances (Note 3).	R	XX	H	\vdash	
 c. Scales/batchers accur d. Scales callbrated with 				\boxminus		
e. Separate bins for fine	aggregate and each applicable size of coarse ag	gregate.	X			
f. Separate scale and we	eigh hopper for cementitious materials.	man man auto	8	H	H	
g. All weigh hoppers free	ely suspended from scale and charge and discha egates taken into consideration when determini	rge properly.	X X X	Ħ		
	later Batcher, or Volumetric Measu			_		
a. Device for measurement	ent of added water capable of delivering require	ed quantity within applic	able toleran	ces		
and capable of dispen	sing in increments as small as one gallon (10ibs.	If weighed).	×			
	g tank equipped with a means to check calibration	on. [×	
7. Admixture Dispe		ין	X 1			
a. Separate dispenser fo			X X X			
b. Piping free of leaks arc. Dispensers calibrated		Ī.	X			
d. Visual or gross check t	for batchman independent of operation of prim	ary metering device.	X			
8. Batching System						
a. Batch System Type:	Manual 🔲 Semi -Automated 🔲 Fully Auto	mated 🔳				
9. Recording Syste	m (recording device which provides	a permanent rec	ord of bat	ch quantities	for each	
batch of concret	te produced.)					
	ious 🔳 Aggregate 🔳 Water 🔳 Admixtu	es 🔳				
Recorders shall:		F	X			
b. Be properly protectedc. Provide for identifying	1. g the particular batch with the corresponding de	livery ticket.	y			
d. Register quantity of in		[0	X			

TICKETING SYSTEM Not Not 10. Delivery ticket provides the following information ACCEPTABLE APPLICABLE ACCEPTABLE Ready-Mix Concrete Company's Name XXXX KX KKK Plant number or designation Ь. Ticket Serial Number C. Truck Number or designation Purchaser Name f. Job name and location Specific class or designation of concrete mix Batch size in cubic yard or meters Date and time when batch was loaded Type and name of specialty admixture or ingredient and amount batched Place where extra water added at request of receiver of the concrete and his signature or initials.

The referenced plant satisfies the indicated criteria and is capable of producing acceptable concrete. Yes \blacksquare No \square

Notes:

- 1. Items 1a and 1b evaluated as follows: Aggregate stockpiles located to prevent contamination and arranged to assure that each aggregate as removed from its stockpile is distinct and not intermingled with others. Separate storage bins or compartments for each size and type of aggregate properly constructed and charges to prevent mixing of different sizes or types. Aggregates meet applicable specifications.
- 2. For information only; this Item not required for approval of plant.
- 3. Applicable tolerances are consistent with information contained in the latest edition of ASTM C 94 Standard Specifications for Ready Mixed Concrete.

Definitions:

Manual Systems - Batching devices are operated manually. Individual batch target weights, moisture adjustments, and volumetric measuring systems are manually determined and verified by the batch operator. Discharge of the batch is performed manually by the batch operator. These systems are typically assisted by pneumatic, electric or hydraulic power, but may be hand operated.

Semi-Automated Systems - These systems provide mechanisms that start the weighing and volumetric measuring devices for the batch. These systems will stop the weighing and measuring upon attaining the required batch tolerances. Discharge of the batch may be automated upon attaining acceptable batch tolerances, or may be performed manually. These systems may or may not include interlocking mechanisms for out of tolerance batches.

Fully Automated Systems - A single starting mechanism provides target weights and volumes, begins the weighing and measuring process and ends this process when the targeted batch proportions are within tolerance. Out of tolerance batches must be manually adjusted to within tolerance and/or accepted by the batch operator. Once the batch tolerances are met or manually accepted, discharge of the batch will begin automatically.

12. Verification of Inspection and Application for Certification (CONTINUED)

The undersigned, a registered	undersigned, a registered professional engineer inARIZONA					
(state, territory, or jurisdiction)						
has conducted the inspection				S		
Hatch Industries, Plant						
	(please print s	specific des	ignation and location	on of plant)		
and asserts, in his professiona Application is hereby made fo	l judgment, the r	informatio a certifica	n provided on this C te for this plant, to	Check List is be classified	accurate and complete.	
General Op	eration	Batching	<u>System</u>	Record	ing (if any)	
X Truck	Mixing		Manual	X	Cementitious	
Centr	al Mixing		Semi-Automated	X	Aggregate	
Both		X	Fully Automated	X	Water	
				X	Admixtures	
					cceptable boxes from marked with an "X".	
12/18/2019	A TOP I SHITTER	10.10		, a ,	Professional English	
(date)	44		(signature o	f engineer)		
720574	Jan	James M. Willson, P.E.				
(NRMCA ID number)		(name, please print) WILLSON				
(date)	×	(signature of engineer	's assistant)	VERDINA U.S.	
(Asst. to the Engineer NRMCA ID number)	***************************************		(name, pl	lease print)	(Engineer's Seal)	
	3449	9 N 47th \	Way, Phoenix, AZ	2 85018		
	-		(business address, p	lease print)		
	cer	nentaz	@cox.net			
				(zip code)		
	602	2-290-9				
			(phor	ne number)		